

Earmould Lab Equipment

# Earmould Lab Equipment

**Silicone Materials**

**Silicone Lacquers**

**Earmould Manufacturing Tools**



## Genius-2000

This high-tech machine is well equipped to deal with today's busy working practice. With built-in dust suction, neon lamp, protective shield and polishing machine, this unit saves space and money. Plus, with the option of a micro-motor, you can't go wrong.

Features single-shaft polishing machine with 1500 rpm suction with electronic speed control, built-in neon lamp and protection shield. Weight: 65 kg. Dimensions: 50 cm x 48 cm x 112 cm.

Available with or without 90 watt micro-motor.

Call us for delivery costs.



Special Order

- EQU59000** With Micro-Motor
- EQU59100** Without Micro-Motor
- EQU59000-DB** Dust Bag
- EQU59122** Replacement Viewing Panel

## EM5000 Accessories

Replacement parts for the EM500 Micro-Motor.



- EQU63002** Micro-Motor/Cord
- EQU63004** Spare Hand Piece

## PRIME 407 Brushless Micro Motor

A brushless micromotor with ergonomic and compact design, with an exceptionally high torque of up to 7.8 N cm. Creates minimal vibration and features ergonomic & safe grip, as well as a self-diagnosis system.



- EQU33400** PRIME 407 Brushless Micro Motor

## Trim-1 Trimmer/Grinder

Trimmer/grinder with reset switch. 500 Watt, 1.450 rpm. Weight: 16 kg. Size: 300 mm x 380 mm x 320 mm.



Special Order

- EQU65000** Trim-1 Trimmer/Grinder

## Shaker 2 & Shaker 4

Vibrator for 2 or 4 casting rings.



Special Order



- EQU72200** Shaker 2 - 2 kg
- EQU72400** Shaker 4 - 4.5 kg

## Polishing Machines

Polishing machines for continuous duty. Supplied with two cone-shaped metal points (RH thread & LH thread), and one wheel centre. Splash guard, lathe wheel and lathe wheel adaptor also available.

MAP-1: Single speed. 500W - 2800 rpm.  
MAP-2: Two speed. 500W - 1400/2800 rpm.



- EQU32000** MAP-1 Polishing Machine
- EQU33000** MAP-2 Polishing Machine
- EQU32005** Splash Guard
- ACC270** Lathe Wheel
- ACC270A** Lathe Wheel Adaptor (Pair)

- ACC193A** 10.6 cm x 1.2 cm Mop
- ACC193B** 15.2 cm x 1.2 cm Mop
- ACC193C** Reflex Mop

## Dust Suction Bench

For polishing machines. (Polishing machine available separately).  
Weight 34 kg. Size: 800 mm x 560 mm X 400 mm.  
Noise: 78dB.



Special Order



**Polishing Machine Available Separately**

- EQU35500** Bench
- EQU35500F** Replacement Filter
- EQU35500A** Lamp

## DustPRO 250 230V

Dust and particulate extraction unit for the safe and effective removal of swarf and smaller particulates during processes such as routing, mechanical engraving, grinding and turning. The pump used in the system is brushless and is designed for continuous running (can exceed 30,000 hours of use before servicing). Large capacity bag filter is easily emptied and re-used. Quiet in operation. Dimensions: 390 mm x 305 mm x 305 mm. Weight 8 kg. Noise: <58dB.



- ACC455A** DustPRO 250 230V
- ACC455B** Replacement Bag Filter

## AIRBOX



Special Order

Portable suction unit for the extraction of dust, residues and abrasives. Professional and extremely noiseless, it has an adjustable suction force and is fitted with 4 filters made from BIA-compliant micro-fabric. Dimensions: 33 cm x 25 cm x 38 cm. Weight 12 kg. Noise: 68dB. Optional air intake (Wooden Vacuum Block) and fume extractor (Airbase) also available.



Wooden Vacuum Block



Airbase Fume Extractor

- EQU65700** AIRBOX
- EQU65800** Wooden Vacuum Block
- EQU66200** Airbase Fume Extractor
- EQU65720** 4 Pack of Dust Bags

## AIRBOX SIMPLEX



Special Order

Ideal for installation in laboratories for the extraction of powders. Adjustable noiseless suction control. Dimensions: 38 cm x 29 cm x 40 cm. Weight: 12 kg. Noise: 68dB. Optional air intake (Wooden Vacuum Block) and fume extractor (Airbase) also available.



Wooden Vacuum Block



Airbase Fume Extractor

- EQU65900** AIRBOX SIMPLEX
- EQU65800** Wooden Vacuum Block
- EQU66200** Airbase Fume Extractor
- EQU65920** 4 Pack of Dust Bags

## Microbox Finishing Cabinet



Special Order

Cabinet for the milling and finishing of precious metals, and for the treatment of hazardous volatile chemical compounds. Manufactured from plexiglass and all joints are proof bonded. A pull-out drawer collects residues being used. The tube supplied with the unit enables the connection of a suction unit. Dimensions: 32 cm x 30 cm x 25 cm. Weight: 3 kg.



**EQU66300** Microbox Finishing Cabinet

## Labo Station



Special Order

Safety workplace cabinet equipped with multiple side entrances, neon light, fast air connector and power supply intake. Features wooden air-stock-intake, replaceable internal work-top, wide glass window, drain trellis and air syringe. Compatible with the dust extractor unit Airbox (for simultaneous switch-on/off). Dimensions: 60 cm x 40 cm x 40 cm. Weight: 15 kg.



**EQU66400** Labo Station

## Micropol Systems

Pressure polymerisation units for producing high-grade earmoulds.

Minipol 100 - For the production of single earmoulds in acrylic or silicone, as well as ITE shells in a water bath.

Micropol 100 - For production of 10 - 12 acrylic or silicone earmoulds using microwave energy.

Micropol 2000 - For production of 10 acrylic or silicone earmoulds, as well as ITE-shells using microwave energy.

Micropol 3000 - For production of 10 acrylic or silicone earmoulds, as well as ITE-shells using microwave energy.



Minipol 100



Micropol 2000



Micropol 3000



Micropol 100

**PRO100C** Minipol 100

**PRO147A** Micropol 100

**PRO100** Micropol 2000

**PRO100E** Micropol 3000

## Aquapres™ Manual Pressure Pot

Lightweight and easily transportable unit. Hydraulic compact design that does not require electricity, heat or air pressure. The complete fabrication system consistently generates dependable, high quality results by eliminating porosity in methacrylate acrylics and achieving long lasting colour. Approximately 127 mm in diameter.



**ACC453** Aquapres™ Manual Pressure Pot

## Micropol 100 Parts

Investment Tray, Membrane Foils and other replacement parts for the Micropol 100 system.



**PRO101E** Micropol 100 Investment Tray

**PRO147G** Micropol 100 Membrane Foils

**PRO147C** Micropol 100 Ring Part

**PRO147H** Micropol 100 O Ring

**PRO147D** Micropol 100 Replacement Screw

## Micropol 2000 Parts

Investment Trays, Membrane Foils and other replacement parts for the Micropol 2000 system.

- PRO101A** Micropol 2000 Investment Tray For Earmoulds
- PRO101B** Micropol 2000 Investment Tray For ITE Shells
- PRO140** Micropol 2000 Rubber Membrane
- PRO141** Micropol 2000 Rubber Gasket
- PRO144** Micropol 2000 Replacement Bolts
- PRO142** Micropol 2000 Replacement Valve
- PRO143** Micropol 2000 Replacement Valve Insert
- PRO103** Micropol 2000 Rubber Cup



## Micropol 3000 Parts

Investment Trays for the Micropol 3000 system.



- PRO101C** Micropol 3000 Investment Tray For Earmoulds
- PRO101D** Micropol 3000 Investment Tray For ITE Shells

## Pressure Release Tool

For Micropol systems.



- PRO106** Pressure Release Tool

## Cellophane Foils & Holder

For Micropol systems.



- PRO104A** Cellophane Foils For Micropol 2000
- PRO104B** Cellophane Foils For Micropol 3000
- PRO105** Cellophane Holder

## Transmittol

Pressure transmitting fluid for producing ITE shells. 1 litre.



- PRO107** Transmittol

## Spectacle Frame Heater

Large frame warming chamber, adjustable electronic temperature control, safety cut-off and heavy duty fan motor. Supplied with a UK mains plug and 2 year warranty.



- ACC319** Spectacle Frame Heater

## Denstar 410 Electric Wax Heater



Special Order

Features 4 chambers, with analogue dial temperature control. Heats wax quickly and maintains the required temperature, and also features LED on/off/ready indicator. Dimensions: 192 mm x 114 mm x 80 mm (WxDxH).



ACC208C Denstar 410 Electric Wax Heater

## Electric Wax Bath



Special Order

For impression dipping.  
With thermostat control.



ACC208B Electric Wax Bath

## Gel Melt Unit

6 litre stainless steel automatic gel melting/mixing unit. Features time delay start-up, programmable melting point and pouring temperatures. Equipped with a high torque motor that allows the operator to start the blades turning even when the tank is full of pre-chopped gel.



Special Order



ACC281 Gel Melt Unit

## Palamat Practic ELT Water Bath

Electronically controlled pressure polymerisation unit for cold cure resins. The high-grade plastic housing is fully water-tight and corrosion-resistant. All functional operations of the machine are controlled from the key pad on the control panel. Automatic programming and electronically controlled heating make sure that polymerization of the acrylic is suited to the material properties. The Palamat Practic ELT also has a program for automatic drainage of waste water.



Special Order



ACC280 Palamat Practic ELT Water Bath

## Sonolux Flash Evo

High-performance light curing unit with Xenon-stroboscope flashlights.

The Sonolux Flash Evo is a light polymerisation unit for the post-curing of generative built part models made out of Sonopal resins under protective gas (nitrogen). The protective gas atmosphere prevents the occurrence of an inhibition layer on the surface of the earmoulds and hearing aid shells. Thanks to the electronic timer which can be programmed individually, all production procedures as nitrogen supply polymerisation time and break times can be set exactly.



Dimensions	H 195 x W 517 x D 295 mm
Polymerisation chamber	H 40 x W 140 x D 180 mm
Weight	16.6 kg
Voltage	230 V / 50Hz

**SON132** Sonolux Flash Evo

## Polylux 100

The Polylux 100 is a basic light polymerisation unit for repairs and lacquering. The unit has a light source and mirrored interior surface which assure a safe polymerisation.

Suitable for repairs with Fotoplast® Gel and for surface refinement with Fotoplast® Lacquer 3.



Capacity	1 earmould
Dimensions	H 100 x W 95 x D 240 mm
Interior format of the polymerisation chamber	H 88 x W 90 x D 130 mm
Power consumption	30Watt
Weight	1.7 kg
Light source	2 x 9 Watt UVA light tubes
Light wave spectrum	315-400nm

**SON104** Polylux 100

**SON107** Turning Motor

**SON107B** Puretone Turning Motor

## Polylux 500

Multi-purpose light-curing unit for acoustician shops. This compact unit consists of a robust, powder-coated metal housing and a large practical lid.

The polymerisation chamber is completely mirrored so a turning motor is not necessary for curing of a lacquer coating. The polymerisation chamber provides space for four negative forms for earmoulds resp. for one earmould fixed with a tweezer. The timer enables to limit the maximum polymerisation time to 5 resp. 10 min. which is an additional safety feature. The Polylux 500 can be used to polymerise the resins and lacquers of the Fotoplast® range.



Capacity	4 earmoulds
Dimensions	H 110 x W 215 x D 190 mm
Interior format of the polymerisation chamber	H 50 x W 150 x D 95 mm
Power consumption	35Watt
Weight	3.2 kg
Light source	2 x 9 Watt UVA light tubes
Light wave spectrum	315-400nm

**SON133** Polylux 500



## CUREbox UV Post-Cure Chamber

CUREbox UV Post-Curing Chamber with Touchscreen UI, Time and Temperature Control - Includes LED modules.



New Product

Features:

- Touchscreen UI
- Status Indicators for Heat, Lamps, and Door
- Large Chamber
- Laboratory Grade Construction
- International Power Compatible
- One-Touch Presets
- Customizable Settings
- Timer Control (5 Minutes - 12 Hours)



ACC478 CUREbox

## Sonopal® Lacquer

Soft lacquer 97 ml.



Special Delivery



SON116 Lacquer

## Sonopal® Lacquer

Hard lacquer 96 ml.



Special Delivery



SON115 Lacquer

## Sonopal® Modeling Paste

Hard transparent or opaque paste for repairs and venting.



SON112 Transparent - 20 g

SON113 Opaque - 20 g

## Sonopal® Hard Resin

Hard beige or transparent resin for repairs and venting. Available in two sizes.



SON108A Transparent - 250 g

SON108B Transparent - 1 kg

SON110A Opaque - 250 g

SON110B Opaque - 1 kg

## Sonopal® Soft K1

For full soft. Transparent soft resin for repairs and venting. Supplied in 250 g bottle.



Special Delivery



SON111 Soft K1

## Fotofix Faceplate Glue



Special Delivery

Helpful for manufacturing and repairing of ITE systems. In clear transparent as well as colour matched to our most popular shell materials Fotoplast® S IO and Fotoplast® S CIC opaque H (yellowish), Fotofix prevents the gap-building between faceplate and shell.



**SON140** Fotofix Faceplate Glue - 20 ml

## Glysol 1.0L

Polymerisation bath for curing Thermosoft lacquer, filling hollow spaces of the earmoulds for the shell forming.



**SON139** Glysol 1.0L

## Fotoplast® S IO

Light curing resin for the manufacturing of very thin break-resistant shells for ITE hearing systems (wall thickness 0.4-0.6 mm). Supplied in 500 g bottle.



**SON134** Clear Transparent

**SON134B** Medium Brown Opaque 3

## Fotoplast® S Hard UVA

Transparent material for BTE earmoulds with hard and high-break resistant final consistency. Shell forming. Free of MMA and cadmium. Supplied in 500 g bottle.



**SON135** Fotoplast® S Hard UVA

## Thermosoft

Material with a soft final consistency for BTE moulds. Especially comfortable as the material becomes softer at body temperature in the ear. Low water absorption. Supplied in 250 g bottle.



Special Delivery

**SON136** Thermosoft

## Thermosoft Lacquer

Soft biocompatible lacquer for the coating of Thermosoft earmoulds or for an adhesive coating of Fotoplast® earmoulds. Glysol, Oxystop Fluid or protective gas is needed for curing without inhibition layer. Supplied in 20 ml bottle.



Special Delivery

**SON137** Thermosoft Lacquer

## Fotoplast® Lacquer 3

For lacquering resp. "glazing" of all hard earmoulds instead of mechanical polishing. Curing is done within 60 seconds (instant lacquer). Brilliant tissue friendly surface sealing. Biocompatible. Supplied in 20 ml bottle.



Special Delivery

**SON138** Fotoplast® Lacquer 3

## Investment Moulds

Investment mould for gel. Available in two sizes.

Standard size: 80 mm x 70 mm.  
Small size: 40 mm x 40 mm.



**SON131A** Std Investment Mould Base

**SON131B** Std Investment Mould Gasket

**SON131C** Small Investment Mould Base

**SON131D** Small Investment Mould Gasket

**SON131E** 50 x Base Cover Plates

## Paper Cups

For pouring gel in to make casts.  
10 x 7oz cups.



**ACC194C** Paper Cups

## Acrylic Mixing Spatula

Double ended spatula ideal for mixing acrylic material.



**ACC203** Acrylic Mixing Spatula

## Impression Extractor

For easily extracting impressions from moulds.



**ACC200** Impression Extractor

## Valved Dust Respirator

Effective filtration of hazardous particles, while allowing humid exhaled air to escape through the valve. Features sculpted nose fit and chin tab.



**ACC210B** Valved Dust Respirator

## Safety Glasses

Lightweight, tough, polycarbonate lenses. Kite marked to BS2092 grade 2.



**ACC211** Safety Glasses

## Wax Knife

Available in large (18 cm) and small (13.5 cm).



**ACC198A** Large

**ACC198B** Small

## Waxes

### Pink Wax

For patching up bad impressions.  
19 sheets. (445 g).



### Casting Wax

For coating impressions prior to casting (150 g).



### Sticky Wax

For sticking impressions to cup (32 g).



### Polishing Wax

For polishing earmoulds & shells to a lustrous, high gloss finish.



**ACC197** Pink Wax

**ACC195** Casting Wax

**ACC196** Sticky Wax

**ACC192** Polishing Wax - Brown

**ACC264** Polishing Wax - White

## Silicone Mixing Cup

Ideal for mixing acrylic for repairs.



**ACC383** Silicone Mixing Cup

## Plaster Mixing Bowl

Available in 4 sizes.

Small: 10.5 cm x 7 cm  
Medium: 12 cm x 9 cm  
Large: 13 cm x 11 cm  
X-Large: 16.5 cm x 15 cm



**ACC205A** Small  
**ACC205B** Medium  
**ACC205C** Large  
**ACC205D** X-Large

## Plaster of Paris

For casting, dries solid, 25 kg.



**ACC206A** Plaster of Paris

## Plaster Cutters

For cutting plaster.



**ACC206** Plaster Cutters

## Plaster Hammer

For the removal of plaster.



**ACC207** Plaster Hammer

## Plaster Mixing Spatula

For mixing plaster.



**ACC204** Plaster Mixing Spatula

## Nitrile Gloves

Medical grade examination gloves with textured surface for extra grip and superior resistance to oil/chemical permeation. Available in two sizes and supplied in packs of 100.



**ACC432A** Medium  
**ACC432B** Large

## Separating Fluid

For separating earmoulds from plaster cavities. 3.8 litres.



**PRO108** Separating Fluid

## Glass Spirit Lamp

Complete with wick and safety cap on chain.



**ACC282A** Lamp  
**ACC282B** Spare Wick

## Impression Scissors

For trimming impressions.



**ACC201** Impression Scissors

## Duplicating Silicone & Gels



**DETAX**



Special Order

ACC317A/B

### Detax Duglasil® Duplicating Silicone

Clear transparent casting silicone for the fabrication of highly transparent negative forms that provide lasting dimensional stability and tear resistance. Colour: clear-transparent 1:1. Final hardness: approximately 15 Shore A. Available in 2 x 1 litre and 2 x 5 litre containers.



**DETAX**

ACC325

### Detax Durosil® Duplicating Silicone

Manually mixable and extremely tear resistant duplicating silicone for the fabrication of negative forms. Compatible with polymethylmethacrylate addition curing. Colour: rose-opaque 1:1. Final hardness: approximately 17 Shore A. Supplied in 2 x 5 litre containers.

- ACC317A** Detax Duglasil® Duplicating Silicone - 2 x 1 Litre
- ACC317B** Detax Duglasil® Duplicating Silicone - 2 x 5 Litre
- ACC325** Detax Durosil® Pink Duplicating Silicone - 2 x 5 Litre
- SON118** Fotogel - 6 kg
- ACC293** Gold Duplicating Gel - 6 kg

## Impression Marker

Chinagraph pencil useful for all types of impression material.



**ACC150** Impression Marker



SON118

### Fotogel

Special hydrocolloid gel for photopolymerisation. Colour transparent, slightly cloudy.



ACC293

### Gold Duplicating Gel

Gel for producing negatives. Ideal for making cold cure earmoulds and shells. Supplied in 6 kg tub. Colour white.

## Duglasil® Express

DETAX

Clear transparent casting silicone for the fabrication of highly transparent negative forms, especially suitable for UV-curing. Fast setting time of approximately 5 minutes. Final hardness 7 Shore A. Supplied in a pack of 3 x AutoMix 1 cartridges + 6 mixing cannulas.



ACC317C Duglasil® Express

## Detax Protect Mold

DETAX

Floatable earmould silicone for direct/indirect fitting of nose and water plugs. Short setting time, durable A-silicone, final hardness approx 40 Shore A. Supplied as 100 ml base + 100 ml catalyst + 2 x measure scoops.



ACC136-S53 Neon Yellow  
 ACC136-S54 Neon Orange  
 ACC136-S55 Neon Pink  
 ACC136-S56 Neon Green

## Audacryl - Cold Cure Hard Acrylic



Special Delivery

For ITE shells and earmoulds. Available in 2 powder colours and 2 volumes of liquid.



ACC190A Clear Powder - Per kg  
 ACC190B Beige Powder - Per kg  
 ACC190C Liquid - 500 ml  
 ACC190D Liquid - 1000 ml

## Audacryl - Heat Cure Hard Acrylic



Special Delivery

For ITE shells and earmoulds. Available in 2 powder colours and 1 volume of liquid.



ACC190F Clear Powder - Per kg  
 ACC190G Beige Powder - Per kg  
 ACC190K Liquid - 5000 ml

## Audiflex - Cold Cure Soft Acrylic



Special Delivery

For flexible earmoulds. Available in 1 powder colour and 3 volume of liquid.



ACC191F Clear Powder - Per kg  
 ACC191G Liquid - 500 ml  
 ACC191H Liquid - 1000 ml  
 ACC191J Liquid - 5000 ml

## Audiflex - Heat Cure Soft Acrylic



Special Delivery

For flexible earmoulds. Available in 1 powder colour and 1 volume of liquid.



ACC191A Clear Powder - Per kg  
 ACC191C Liquid - 5000 ml

## Detax Acrylon® Silicone

**DETAX**

Earmould resin for the indirect production of hard acrylic earmoulds in the lab. Self curing and fast setting with on harmful vapours or odours. Usable with 10:1 mixing gun (available separately). Available in transparent and rose transparent. Supplied in packs of 2 x 55 g cartridges, with 10 x mixing tips.



Acrylon® Cartridges & Tips

10:1 Mixing Gun

- ACC376B** Rose Transparent
- ACC376C** Transparent
- ACC135E3** 10:1 Mixing Gun
- ACC135E3-TIP** 25 x 10:1 Nozzle

## Micropor S20/S40/S80 Silicone

Very soft pink transparent silicone. 1 kg.



- PRO109C** S20 - 20 Shore A
- PRO109B** S40 - 40 Shore A
- PRO110B** S80 - 80 Shore A

## Microflex A + B Silicone

2-component very soft pink transparent silicone. 30 Shore A.



- PRO111B** Microflex A - 1 kg
- PRO111C** Microflex B - 100 ml

## Detax Bioplast Silicone

**DETAX**

Earmould silicone for the fabrication of soft-flexible BTE earmoulds and noise protection. Available in transparent and pink transparent, as well as 3 levels of hardness. Supplied in 8 x 50 ml AM1 cartridges.



- ACC135G-T40** Transparent - 40 Shore
- ACC135G-PT25** Pink Transparent - 25 Shore
- ACC135G-PT40** Pink Transparent - 40 Shore
- ACC135G-PT60** Pink Transparent - 60 Shore

## Detax Direct Mold

**DETAX**

Direct Mold is an instant earmould hybrid silicone for direct fitting of individual ear protection. Ideal for noise plugs and standard earmoulds. Available in 8 x 50 ml AM1 cartridges (Rose) (50 impressions approx.)



- ACC135RT-CART** Rose Cartridges

## Detax Earflex® Silicone

**DETAX**

Earmould silicone for the fabrication of soft BTE earmoulds & noise protection. Earmoulds made from Earflex® are permanently elastic and feature a high wearing comfort due to the soft-flexible fitting. Colours: blue, red, pink, yellow, green, black, white beige and translucent. Available in various colours of 40 and 60 Shore. All supplied in 8 x 50 ml AM1 cartridges (50 impressions approximately). Earflex® Rainbow come as one of each colour: blue, red, rose, yellow, green, black, white and beige with 32 x mixing tips.



- ACC135G-TR-40** Transparent - 40 Shore
- ACC136-S14** Transparent - 60 Shore
- ACC136-S4** Blue - 40 Shore
- ACC136-S16** Blue - 60 Shore
- ACC136-S5** Red - 40 Shore
- ACC136-S31** Rose - 60 Shore

- ACC136-S11** Yellow - 40 Shore
- ACC136-S6** Green - 40 Shore
- ACC136-S12** Black - 40 Shore
- ACC135G-W40** White - 40 Shore
- ACC136-S10** Beige - 40 Shore
- ACC427** Rainbow - 40 Shore

## Dummy For Swim Plug Handles

Supplied individually.



**PRO124** Swim Plug Handles

## Detax Handy

**DETAX**

Handles for screwing into silicone earmoulds. Supplied in packs of 10 (5 x red and 5 x blue).



**ACC135Z2** Detax Handy



## Detax Aquaplus® Silicone

**DETAX**

Floatable special silicone for the fabrication of swim plugs in the lab or directly. Swim plugs made of Aquaplus® are highly elastic and offer long-term durability. Supplied in 8 x 50 ml AM1 cartridges (50 impressions approximately). Final hardness 35 shore A. Available in red, blue, orange, yellow, green, Colormix (2 x blue, 2 x red, 2 x orange, 1 x yellow, 1 x green & 32 x mixing tips) or Red/Blue Packs (4 red & 4 blue).



- ACC135H Red
- ACC135I Blue
- ACC135G-ORG Orange
- ACC135G-YEL Yellow

- ACC135G-GRN Green
- ACC135Z1 Colormix
- ACC135HI Red/Blue

## Catamaran Silicone A + B

2-component coloured floatable silicone ideal for manufacturing swim plugs/earmoulds (heat cured). Final hardness 35 shore A. Available in 11 colours in 400 g and 800 g tubs.



- PRO113A Orange - 400 g
- PRO112A Yellow - 400 g
- PRO122A Black - 400 g
- PRO119A Violet - 400 g
- PRO118A Pale Green - 400 g
- PRO116A Azure Blue - 400 g
- PRO117A Green - 400 g
- PRO120A Dark Pink - 400 g
- PRO121A White - 400 g
- PRO114A Red - 400 g
- PRO115A Blue - 400 g
  
- PRO113B Orange - 800 g
- PRO112B Yellow - 800 g
- PRO122B Black - 800 g
- PRO119B Violet - 800 g
- PRO118B Pale Green - 800 g
- PRO116B Azure Blue - 800 g
- PRO117B Green - 800 g
- PRO120B Dark Pink - 800 g
- PRO121B White - 800 g
- PRO114B Red - 800 g
- PRO115B Blue - 800 g
  
- PRO123 Catamaran B - 100 ml

## Silicone Lacquers

**DETAX**



PRO111D



Special Delivery

### Micropor

Heat curing, with high gloss finish. Sealing of silicone based earmoulds/ear impressions. Strong bonding.



PRO111E/EL



Special Delivery

### Abdrucklack

Cold curing, with high gloss finish. Universal finish of all silicone ear impressions (A and C silicones). Efficient use.



PRO111G



Special Delivery

### Super Coat

Air drying anti-bacterial coating. Strong bonding sealing with silver particles.



PRO111K



Special Delivery

### Frosty Coat

Heat curing, smoothing with a frosted surface. Satin finish.



PRO111L



Special Delivery

### Express Coat

Fast air drying coating. Brilliant finish. Wipe proof after 8 minutes.



PRO111M/N



Special Delivery

### Dip Coat

Cold curing high gloss finish. Efficient use. No skin formation.

- PRO111D Micropor - 250 ml
- PRO111E Abdrucklack - 250 ml
- PRO111EL Abdrucklack - 1000 ml
- PRO111G Super Coat - 300 ml
- PRO111K Frosty Coat - 100 ml
- PRO111L Express Coat - 100 ml
- PRO111M Dip Coat - 100 ml
- PRO111N Dip Coat - 250 ml
- PRO154A-100 Luxaprint® Clear 100 ml
- PRO154A-300 Luxaprint® Clear 300 ml
- PRO155A-50 Luxaprint® Blue 50 ml
- PRO155A-100 Luxaprint® Blue 100 ml
- PRO155B-50 Luxaprint® Yellow 50 ml
- PRO155B-100 Luxaprint® Yellow 100 ml
- PRO155C-50 Luxaprint® Green 50 ml
- PRO155C-100 Luxaprint® Green 100 ml
- PRO155D-50 Luxaprint® Orange 50 ml
- PRO155D-100 Luxaprint® Orange 100 ml
- PRO155E-50 Luxaprint® Red 50 ml
- PRO155E-100 Luxaprint® Red 100 ml
- PRO155F-50 Luxaprint® Violet 50 ml
- PRO155F-100 Luxaprint® Violet 100 ml
- PRO155H-50 Luxaprint® Black 50 ml
- PRO155H-100 Luxaprint® Black 100 ml
- PRO155G-50 Luxaprint® Brown 50 ml
- PRO155G-100 Luxaprint® Brown 100 ml
- PRO155J Luxaprint® Skin Tones Kit 4 x 50 ml



PRO154A-100



Special Delivery

### Luxaprint® Shellac

UV Curing. For surface sealing of hard earmoulds.



PRO155J



Special Delivery

### Luxaprint® Shellac Skin Tones

UV Curing. For surface sealing of hard earmoulds. All colours are freely mixable. Kit with 4 colours for every desired skin tone.

## Adco-Mold Soft Earmould Kit



Special Delivery

Contains all the ingredients for making 30 soft canal moulds or 10 average standard moulds. Designed for use in any location. Simply mix, insert into ear, allow 4-5 minutes for it to set, remove, trim, use the core drill to make a sound hole, insert tubing and secure with Adco-Ment. Seal and finish with Adco-Sheen.

Contents include: soft Adco-Mold powder, liquid Adco-Ment, tubing cement, Adco-Sheen, pre-bent tubing, standard core drill, foam blocks, mixing spoon, mixing cup, cotton swabs, as well as detailed instructions.



**ADC2201** Adco-Mold Soft Earmould Kit

## Adco-Mold Soft

Liquid & Powder - Small: Makes approximately 30 canal or 10 full sized earmoulds. Contents: 2oz powder, 1oz liquid.

Liquid & Powder - Medium: Makes approximately 60 canal or 20 full sized earmoulds. Contents: 4oz powder, 2oz liquid.



- ADC1101** Liquid & Powder - Small
- ADC1102** Liquid & Powder - Medium
- ADC2122** Liquid - 1oz
- ADC2125** Powder - Small
- ADC2126** Powder - Medium
- ADC2127** Powder - Large

## Adco-Sheen



Special Delivery

Sealer and finish for hard and soft earmoulds.



- ADC2137** Liquid - 1/2oz
- ADC2139** Thinner

## Adco-Build

A soft finish re-builder for positive feedback control.



- ADC2102** Small Powder & Liquid
- ADC2103** Large Powder & Liquid
- ADC2002** Small Powder
- ADC2003** Large Powder
- ADC2100** Liquid - 1/2 oz

## Adco-Ment



Special Delivery

A clear, fast-drying cement for earmould tubing and other plastic applications.



- ADC2109** Liquid - 1/2oz
- ADC2111** Thinner

## Adco-Addon

Brush on liquid for when a hard (Hard Adco-Addon) or soft (Soft Adco-Addon) earmould finish is desired.



- ADC2147** Hard Adco Addon - 14.75 ml
- ADC2149** Hard Adco Addon Thinner
- ADC2151** Soft Adco Addon - 14.75 ml
- ADC2153** Soft Adco Addon Thinner

## Brown Tint Powder

Match any skin tone by adding to any Adco-Mold mixture in varying amount. Supplied in 1oz bottle.



- ADC2157** Brown Tint Powder

## Build-Up Economy Kit

Everything you need to solve feedback problems on ill-fitting moulds and hearing aids.


Contents include: Adco-Build powder & liquid, soft Adco-Addon thinner, hard Adco-Addon thinner, soft Adco-Addon, hard Adco-Addon, Adco-Sheen, mixing supplies, as well as detailed instructions.



- ADC2206** Build-Up Economy Kit

## Adco Setting Jigs


Makes location of snap ring in hard moulds easy and accurate. Available in two sizes.



- ADC3240** Small
- ADC3241** Standard

## Adco Core Drills

Available in standard and small sizes.



- ADC3205** Standard
- ADC3206** Small

## Body Aid Retention Ring & Spring

For body aid moulds.



- ACC146** Ring & Spring
- ACC308** Retention Spring
- PRO125** Fixing Plate

## Magnetic Burr Holder

Holds up to 25 burrs.



- ACC199** Magnetic Burr Holder

## Burrs & Cutters



- ACC242H** Steel Burr - Ball - 1.6 mm
- ACC241C** Steel Burr - Ball - 2.1 mm
- ACC241L** Steel Burr - Ball - 2.3 mm
- ACC241T** Steel Burr - Ball Cutter - 2.9 mm
- ACC243** Steel Burr - Ball - 3.1 mm
- ACC241K** Steel Burr - Ball Slitted - 3.1 mm
- ACC241J** Steel Burr - Ball - 3.3 mm
- ACC241X** Steel Burr - Ball - 3.5 mm
- ACC241E** Steel Burr - Ball - 4.0 mm
- ACC241A** Steel Burr - Ball - 5.0 mm
- ACC241U** Steel Burr - Ball - 8.0 mm
  
- ACC243C** Steel Cross Cutter - Ball - 2.1 mm
- ACC242G** Steel Cross Cutter - Flat - 2.7 mm
- ACC243B** Steel Cross Cutter - Ball - 2.9 mm
- ACC241P** Steel Cross Cutter - Ball - 5.0 mm
- ACC242F** Steel Cross Cutter - Pear - 5.0 mm
- ACC241Q** Steel Cross Cutter - Ball - 6.0 mm
- ACC242E** Steel Cross Cutter - Pear - 6.0 mm
  
- ACC241F** Tungsten Burr - Ball - 1.0 mm
- ACC241G** Tungsten Burr - Ball - 1.4 mm
- ACC241H** Tungsten Burr - Flat - 2.3 mm
  
- ACC242N** Steel Burr - Pear - 4.0 mm
- ACC242A** Steel Burr - Pear - 6.0 mm
  
- ACC245** Tungsten Cutter - Pear - 4.0 mm
- ACC244B** Tungsten Cutter - Pear - 7.0 mm

## Twist Drills



- ACC248TD-0.3** Twist Drill - 0.3 mm
- ACC248TD-0.5** Twist Drill - 0.5 mm
- ACC248TD-0.6** Twist Drill - 0.6 mm
- ACC248TD-0.65** Twist Drill - 0.65 mm
- ACC248TD-0.68** Twist Drill - 0.68 mm
- ACC248TD-0.70** Twist Drill - 0.7 mm
- ACC248TD-0.8** Twist Drill - 0.8 mm
- ACC248TD-0.9** Twist Drill - 0.9 mm
- ACC248TD-1.0** Twist Drill - 1.0 mm
- ACC248TD-1.1** Twist Drill - 1.1 mm
- ACC248TD-1.4** Twist Drill - 1.4 mm
- ACC248TD-1.5** Twist Drill - 1.5 mm
- ACC248TD-1.6** Twist Drill - 1.6 mm
- ACC248TD-1.7** Twist Drill - 1.7 mm
- ACC248TD-1.9** Twist Drill - 1.9 mm
- ACC248TD-1.95** Twist Drill - 1.95 mm
- ACC248TD-2.0** Twist Drill - 2.0 mm
- ACC248TD-2.3** Twist Drill - 2.3 mm
- ACC248TD-2.55** Twist Drill - 2.55 mm
- ACC248TD-2.6** Twist Drill - 2.6 mm
- ACC248TD-2.9** Twist Drill - 2.9 mm
- ACC248TD-3.0** Twist Drill - 3.0 mm
- ACC248TD-3.15** Twist Drill - 3.15 mm
- ACC248TD-3.18** Twist Drill - 3.18 mm
- ACC248TD-3.2** Twist Drill - 3.2 mm
- ACC248TD-3.3** Twist Drill - 3.3 mm
- ACC248TD-3.5** Twist Drill - 3.5 mm
- ACC248TD-3.7** Twist Drill - 3.7 mm
- ACC248TD-4.0** Twist Drill - 4.0 mm
- ACC248TD-4.35** Twist Drill - 4.35 mm
- ACC248TD-6.0** Twist Drill - 6.0 mm

## Pinvices

For twist drills. Available in 5 sizes.



- ACC247A** 0 mm - 1 mm
- ACC247B** 0 mm - 1.02 mm
- ACC247C** 0.77 mm - 1.6 mm
- ACC247D** 1.34 mm - 3.15 mm
- ACC247E** 2.95 mm - 4.7 mm

### Micro Motor Twist Drills



- ACC248MMTD-0.5** MM Twist Drill - 0.5 mm
- ACC248MMTD-1.0** MM Twist Drill - 1.0 mm
- ACC248MMTD-1.4** MM Twist Drill - 1.4 mm
- ACC248MMTD-2.0** MM Twist Drill - 2.0 mm
- ACC248MMTD-2.1** MM Twist Drill - 2.1 mm

### Grinding Stones



- ACC261A** Unworked
- ACC261B** Pointed
- ACC261C** Round

### Grinding Sleeves



- ACC242J** Grinding Sleeve - 4.95 mm
- ACC242K** Grinding Sleeve - 7.0 mm
- ACC242L** Grinding Sleeve Holder - 4.95 mm
- ACC242M** Grinding Sleeve Holder - 7.0 mm

### Nimbus RIC Custom Power Sleeve Drill

For drilling custom-moulded power sleeves for Nimbus RIC systems.



**NIM-CPS-DRILL** RIC Custom Power Sleeve Drill

### Nail Grip Steel Burr



**ACC241D**

### Polishing Rubber Point



**ACC246**

### Calico Mop



**ACC242C**

### Split Tapered Mandrel



**ACC241**

### Faceplate Cutter



**ACC245A**

### Turbo Cutter Pear - 7.0 mm



**ACC241R**